

GEOTECHNICAL

ENGINEERING

Journal of the

SOUTHEAST ASIAN GEOTECHNICAL SOCIETY

&

ASSOCIATION OF GEOTECHNICAL SOCIETIES IN SOUTHEAST ASIA



AGSSEA

Sponsored by

ASIAN INSTITUTE OF TECHNOLOGY (AIT)



Editor: Prof. Meei-Ling Lin



Satellite Image of the Taipei Basin
(After Yang, Wong and Hwang, 2016)




(b) Before typhoon



(a) After typhoon

Sedimentation of Typhoon Morakot on Wanda Reservoir in central Taiwan.

(After Lee, Wang, Chang Lien and Huang, 2016)



Geological profile along tunnels in TDT project (After Lee, Wang, Chang, Lien and Huang, 2016)

GEOTECHNICAL ENGINEERING

Published by the:

SOUTHEAST ASIAN GEOTECHNICAL SOCIETY &
ASSOCIATION OF GEOTECHNICAL SOCIETIES IN SOUTHEAST ASIA

EDITOR-IN-CHIEF

Chairman: Dr.Ooi Teik Aun

Prof. San Shyan Lin (Taiwan)-Leader

Dr. Erwin Oh (co-Leader)

Prof. Akira Murakami (Japan)

Prof. Jian Hua Yin (Hong Kong)

Prof. Suched Likitlersuang (Thailand)

Dr. Eng Choon Leong (Singapore)

Dr. Phung Duc Long(Vietnam)

Prof. Madhav (India)

Prof. S R Kim (Korea)

Dr. Chan Swee Huat (Malaysia)

Dr. Farrokh Nadim (Europe)

Prof. Hadi Kabbaz (Australia)

Prof. Robert Koerner (USA)

Prof. Jay Meegoda (USA)

Prof. Palmeira Ennio Marcus (South America)

Prof. Abbas Soroush (Iran)

Prof. Mounir Bouassida (Africa)

Prof. A.S. Balasubramaniam (Convenor)

EDITORIAL ADVISERS

A.S. BALASUBRAMANIAM, *Australia*

E.W. BRAND, *U.K.*

WEN HUI TING, *Malaysia*

ZA-CHIEH MOH, *Taiwan*

CHIN-DER OU, *Taiwan*

JOHN CHIEN-CHUNG LI, *Taiwan*

KWET YEW YONG, *Singapore*

CHUNG TIEN CHIN, *Taiwan*

DENNES T. BERGADO, *Philippines*

H.G. POULOS, *Australia*

PEDRO SECO E PINTO, *Portugal*

SEAGS EXECUTIVE COMMITTEE MEMBERS (2013 – 2016)

DR. TEIK AUN OOI	President
DR. NOPPADOL PHIENWEJ	Hon. Secretary General
DR. ZA-CHIEH MOH	Founding President
DR. CHUNG TIEN CHIN	Immediate Past President
PROF. KWET YEW YONG	Past President
DR. JOHN CHIEN-CHUNG LI	Past President
DR WEN HUI TING	Past President

SEAGS GENERAL COMMITTEE 2013 - 2016

DR. TEIK AUN OOI (<i>President</i>)	DR. NOPPADOL PHIENWEJ (<i>Hon. Secretary General</i>)
DR. ZA-CHIEH MOH (<i>Founding President</i>)	DR. CHUNG TIEN CHIN (<i>Immediate Past President</i>)
PROF. KWET YEW YONG (<i>Past President</i>)	DR. JOHN CHIEN-CHUNG LI (<i>Past President</i>)
DR. WEN HUI TING (<i>Past President</i>)	PROF. A.S. BALASUBRAMANIAM(<i>Past President</i>)
DR. CHIN DER OU (<i>Past President</i>)	PROF. JIAN CHU
IR. YEW WENG YEE	IR. KENNY K.S. YEE
IR. THIEN SENG YEE	PROF. DER-WEN CHANG
PROF. HUNG-JIUN LIAO	DR. SOKTAY LIM
PROF. MEEI-LING LIN	PROF. DENNES T. BERGADO
PROF. T. LIANG	

Geotechnical Engineering is the official journal of the Southeast Asian Geotechnical Society and the Association of Geotechnical Societies in Southeast Asia. It is published four times a year in March, June, September and December and is free to members of the Society. The annual subscription rate for non-members is US\$50 to individuals and US\$100 to libraries and companies. Back issues are available. Cheques or money orders should be made payable to the Asian Institute of Technology. Membership application forms and other details can be obtained from:

*The Secretariat, SEAGS
Room 211, AIT Library
Asian Institute of Technology
P.O. Box 4, Klong Luang
Pathumthani 12120, Thailand
Website: <http://www.seags.ait.ac.th>*

*Ir. Kenny Yee
Hon. Secretary General
Association of Geotechnical Societies in Southeast Asia
E-mail: kenny.yee@gmail.com
Website: <http://www.agssea.org>*

GEOTECHNICAL ENGINEERING

AGSSEA COUNCIL SESSION 2013 - 2016

Chairman

Hon. Secretary-General

Hon. Treasurer

Immediate Past Chairman

Hon. Founder Chairman

Council Members

Southeast Asian Geotechnical Society (SEAGS)

Vietnamese Society for Soil Mechanics and Geotechnical Engineering (VSSMGE)

Hong Kong Geotechnical Engineering Society (HKGES)

Geotechnical Society of Singapore (GeoSS)

Thai Geotechnical Society (TGS)

Chinese Taipei Geotechnical Society (CTGS)

Indonesian Society for Geotechnical Engineering (HATTI)

Malaysian Geotechnical Society (MGS)

Prof. Kwet-Yew YONG

Ir. Kenny YEE

Prof. Charles Wang-Wai NG

Dr. Teik-Aun OOI

Dr. Za-Chieh MOH

Dr. Noppadol PHIENWEJ

- Vacant -

Dr. PHUNG Duc Long

Dr. PHAM Van Long

Ir Rupert LEUNG

Dr Johnny CHEUK

Dr. Kam Weng LEONG

Prof. Chun-Fai LEUNG

Prof. Suttisak SORALUMP

Dr. Apiniti JOTISANKASA

Prof. Chang-Yu OU

Prof. Yung-Show FANG

Prof. Masyhur IRSYAM

Dr. Pinto Tua SIMATUPANG

Dr. Sin-Fatt CHAN

Ir. Shaw Shong Liew

Dr. Wen-Hui TING

Prof. Jian CHU

Prof. Hung-Jiun LIAO

Prof. TRINH Minh Thu

Prof. A S BALASUBRAMANIAM

Dr. John Chien-Chung LI

Prof. Dennes T. BERGADO

Ir. Raymond CHAN

Dr. Jack PAPPIN

Dr. Chung-Tien CHIN

Nominated Co-opted Members

Advisors

Ir. Kenny Yee

Hon. Secretary General

Association of Geotechnical Societies in Southeast Asia

E-mail: kenny.yeeks@gmail.com

IEM Training Centre Sdn. Bhd.

No. 33-1A, Jalan SS 52/18

P.O. Box 224 (Jalan Sultan)

46200 Petaling Jaya, Selangor Darul Ehsan, MALAYSIA

Tel: (60) 03 7958 6851

Fax: (60) 03 79582851

E-mail: iemtrainingcentre@gmail.com

GEOTECHNICAL ENGINEERING

EDITORIAL PANEL

Prof. D.T. Bergado
Asian Institute of Technology
Bangkok Thailand

Dr. R.P. Brenner
Weinfelden
Switzerland

Prof. D.W. Chang
Tamkang University
Tamsui Taiwan

Prof. Jian Chu
Iowa State University
Iowa U.S.A

Prof. Fuping Gao
Institute of Mechanics
Chinese Academy of Sciences
Beijing China

Dr. Ivan Gratchev
Griffith University Gold Coast Campus
Gold Coast Queensland Australia

Dr. Wei-Dong Guo
University of Wollongong
Wollongong
Australia

Dr. Abuel-Naga Hossam
The University of Manchester
Manchester U.K.

Prof. Dong-Sheng Jeng
Griffith University Gold Coast Campus
Gold Coast
Queensland Australia

Prof. C. H. Juang
Clemson University
U.S.A.

Prof. A (Malek) Bouazza
Monash University
Melbourne Australia

Prof. Jin-Chun Chai
Saga University
Saga, Japan

Prof. Y.K. Chow
National University of Singapore, NUS
Singapore

Prof. Roger Frank
Université Paris-Est
École des Ponts ParisTech
Laboratoire Navier-geotechnical team
(CERMES)
Marne-la-Vallée cedex 2 France

Prof. Christophe Gaudin
University of Western Australia
Perth Australia

Prof. Jürgen Grabe
Karlsruhe University
Germany

Prof. Jie Han
The University of Kansas
Lawrence, Kansas
USA

Prof. B. Indraratna
University of Wollongong
Wollongong Australia

Dr. Apinit Jotisankasa
Department of Civil Engineering
Kasetsart University
Bangkok Thailand

Prof. Poul V. Lade
The Catholic University of America
Washington, D.C., U.S.A.

Dr. Eng Choon Leong
Nanyang Technological University
Singapore

Prof. Robert Liang
Akron University
U.S.A.

Prof. San-Shyan Lin
Taiwan Ocean University
Keelung Taiwan

Prof. Tatsunori Matsumoto
Kanazawa University
Kakuma-machi, Kanazawa Japan

Prof. Fusao Oka
Kyoto University, Kyoto Japan

Prof. Charles W. W. Ng
The Hong Kong University of Science
and Technology
Kowloon Hong Kong

Dr. T.A. Ooi
The Institution of Engineers, Malaysia
Kuala Lumpur Malaysia

Prof. C.Y. Ou
National Taiwan University of Science and
Technology
Taipei, Taiwan

Prof. Anand J. Puppala
The University of Texas at Arlington
Texas U.S.A

Professor Paulus P. Rahardjo
Parahyangan Catholic University
Indonesia

Prof. Helmut F. Schweiger
Graz University of Technology
Graz
Austria

Prof. Chun-Fai Leung
National University of Singapore
Singapore

Prof. Meei-Ling Lin
Department of Civil Engineering
National Taiwan University
Taipei, Taiwan

Mr. Tom Lunne
Norwegian Geotechnical Institute
Oslo, Norway

Prof. Akira Murakami
Kyoto University
Kyoto Japan

Dr. Farrokh Nadim
Technical Director
Norwegian Geotechnical Institute (NGI)
Oslo, Norway

Dr. Erwin Oh
Griffith University Gold Coast Campus
Gold Coast
Queensland Australia

Prof. Zhen-Yu Yin
Tongji University
China

Dr. N. Phienwej
Asian Institute of Technology
Bangkok Thailand

Prof. Harianto Rahardjo
Nanyang Technology University
Singapore

Dr. Shinji Sassa
Port and Airport Research Institute
Nagase Yokosuka Japan

Prof. Shui-Long Shen
Shanghai Jiao Tong University
Shanghai China

Prof. D. N. Singh
Indian Institute of Technology Bombay
Powai, Mumbai, India

Prof. Mitsutaka Sugimoto
Nagaoka University of Technology
Nagaoka Japan

Prof. Ikuo Towhata
University of Tokyo
Tokyo Japan

Prof. B.V.S. Viswanadham
Indian Institute of Technology Bombay
Powai, Maharashtra, India

Dr. Dariusz Wanatowski
The University of Nottingham
Ningbo
China

Prof. Li-zhong Wang
Zhejiang University
China

Dr. Albert T. Yeung
University of Hong Kong (HKU)
Hong Kong

Prof. Jian-Hua Yin
The Hong Kong Polytechnic
University
Hong Kong

GEOTECHNICAL ENGINEERING

GUEST EDITORS

Prof. Jie Han (March 2011)

Prof. Tatsunori Matsumoto (June 2011)

Prof. Der-Wen Chang

Prof. Chang Yu Ou (September 2011)

Dr. Dariusz Wanatowski (December 2011)

Prof. Charles W W Ng (March 2012)

Dr. Apiniti Jotisankasa

Prof. Ikuo Towhata (June 2012)

Prof. Der-Wen Chang

Dr. Ivan Gratchev

Prof. Abdelmalek Bouazza (September 2012)

Tom Lunne (December 2012)

Prof. Don de Groot

Prof. Der-Wen Chang (March 2013)

Dariusz Wanatowski

Prof Akira Murakami (June 2013)

Dariusz Wanatowski

Prof. Fusao Oka (September, 2013)

Prof. Helmut F. Schweiger

Prof. Muhunthan Balasingham

Prof Jinchun Chai (December, 2013)

Prof Shuilong Shen

Prof Buddhima Indraratna (March, 2014)

A/Prof Cholachat Rujikiatkamjorn

Prof Tatsunori Matsumoto (June, 2014)

Prof Jurgen Grabe

Prof Der Wen Chang

B.V.S. Viswanadham (September, 2014)

Hanh Quang Le

Ooi Teik Aun

Shinji Sassa (December, 2014)

Poul V. Lade,

Li-zhong Wang,

Y.K. Chow,

Dong Sheng Jeng,

Christophe Gaudin,

Fuping Gao

Suched Likitlersuang (March 2015)

Suksun Horpibulsuk

Suttisak Soralump

Tirawat Boonyatee

Suchatvee Suwansawat

Thanakorn Chompoorat

San-Shyan Lin (June 2015)

Charng Hsein Juang

Robert Liang

Zhen-Yu Yin (September 2015)

Jian-Hua Yin

Prof. Jay Meegoda (December 2015)

Prof. Limin Hu

Dr. Phung Duc Long (March 2016)

Prof. San-Shyan Lin

Prof. Meei-Ling Lin (June 2016)

Der-Wen Chang

Richard N. Huang

Kuo-Long Wang

PAST EDITORS

Dr. E.W. Brand (1970 – 1973)

Dr. E.W. Brand, Prof. A.S. Balasubramaniam (1974 – 1976)

Dr. E.W. Brand, Dr. V.K. Campbell (1977 – 1978)

Dr. V.K. Campbell (1978 – 1980)

Mr. J.S. Younger (1980 – 1985)

Mr. D.R. Greenway (1986 – 1987)

Mr. P.G.D. Whiteside (1988 – 1989)

Mr. C.A.M. Franks (1990 – 1995)

Prof. D.T. Bergado (1996 – 2001)

Dr. N. Phienwej (2002 -2010)

GEOTECHNICAL ENGINEERING

PREFACE

This Issue contains thirteen excellent papers as the country issue from Chinese Taipei Geotechnical Society (CTGS). It is an example of contributions from leading private sectors in Taiwan and also academics.

The first paper by Lee et al deals with the topic of rock tunnelling applied to steady water resources supply in Taiwan, challenges and examples. The authors deal with increasing soil erosion and slope collapse in some catchment area in Taiwan in the past decade. Also, increased sedimentation rates of the reservoirs reducing the effective capacity, and severely affecting the steady water supply. Multiple measures have been proposed for stabilizing the water supply. Tunnelling in the catchment area, even close to a dam, represents serious environmental and engineering risks. The authors present two cases of rock tunnelling as applied to steady water resources supply. Challenges and some distinctive issues, such as the presence of a high-temperature ground, a combustible gas emission ground, and potential instability of rock wedges caused by large underground excavation, are discussed. The authors then present countermeasures with a clever design of an elephant-trunk intake pipe to release turbid water. State-of-the-art tunnelling through rock and some innovative tunnelling technologies are utilized in these two cases.

The second paper by Chiu et al deals with the interesting topic of the state-of-the-art of tunnel maintenance in Taiwan and challenges to sustainable development. Tunnel construction in Taiwan started as early as the late nineteenth century; within the last 125 years, tunnel maintenance in Taiwan went through several stages. In early years engineers dealt with tunnel excavation. Now tunnel inspections, repairs and reinforcement were performed only when serious damages were observed. As the number of damaged tunnels increased, investigations revealed that the degradation of tunnels in Taiwan is inevitable and usually occurred in an exceptionally short period. Frequent earthquakes, a high ground water level and poorly cemented rock masses provide an environment for such degradation. To adapt more effectively to the environment, tunnel maintenance looked at the entire life cycle of a tunnel. Thus the diagnostic methods have demonstrated to be useful in enhancing the sustainable operation of tunnels.

An interesting contribution by Wang et al dealt with rock tunnel –shaft intersection in projects in Taiwan. The construction of an intersection between a shaft and a rock tunnel is a three-dimensional problem, and requires more complex excavation and support methods than those used in conventional two-dimensional tunnel construction. The paper considered examples of rock tunnelling in Taiwan, and the construction of intersections between shafts and tunnels. Data are collected from case histories first, and the excavation

sequences are classified. Then challenges as encountered to secure construction of the intersections of shafts and tunnels are examined, including the significant scale effects of rock masses on excavations; difficulties in controlling rock deformation near the intersections, and groundwater ingress are also discussed. Strategies and countermeasures as applied to overcome these difficulties in recent projects, and their effectiveness is investigated. Finally, the state-of-the-art design and construction of intersections between shafts and tunnels in Taiwan are presented.

The fourth paper by Hsiao et al dealt with the influence of peak strength degradation in assessing the stability of tunnels in hard rocks. Tunnelling depths are increasing rapidly in Taiwan. The effect of brittle failure on hard rock tunnelling is, however, rarely studied. In this paper, a study is carried out on the importance of the post-peak behaviour using Hoek-Brown failure criterion is investigated; through strength loss experimental studies, a relationship between strength loss parameter and confining stress is established. Subsequently, a numerical analysis model (so-called strength degradation model), is proposed and applied to predict the impact of the post-peak strength degradation on an actual tunnel. The analysis showed that the effect of the post-peak strength degradation on deformation during excavation is becoming more and more pronounced with increasing depth of tunnels. Severe deformation due to the excavation may endanger the tunnel stability during construction in deep overburden. Thus the strength degradation beyond brittle failure shall play an exceptionally important role in the stability of deep tunnelling.

The fifth paper by Hwang et al is on the deep excavations in Taipei Basin and the performance of diaphragm walls. Since movements of diaphragm walls are reduced by the presence of existing underground structures in the vicinity of excavation, comparison of the observed wall deflections with the results obtained by using two-dimensional analyses may lead to erroneous conclusions. Similarly, additions to diaphragm walls, such as buttresses, station entrances, ventilation shafts, etc., will also tend to reduce wall deflections. Thus the authors recommend to compare the results of two-dimensional analyses with the upper envelopes, designated as “reference envelope”, of a family of wall deflection paths of the same geometry of excavation and the same characteristics of the retaining system. Inclinator readings obtained at Shandao Temple Station of the Bannan Line of Taipei Metro were studied to establish the relationship between wall deflections and depth of excavations. The results are verified by numerical analyses using PLAXIS computer software. Reference envelopes were then developed for estimating maximum wall deflections; and charts were established for correcting inclinometer readings to account for the movement at diaphragm wall toes. The authors found that the width of excavation has significant influence on wall deflections and toe movements. Additionally, the consolidation of the Songshan Formation due to the drawdown of groundwater in the Jingmei Formation reduced the movements of diaphragm wall toes.

In an interesting paper Yang et al studied the hydraulic characteristics of the Jingmei Formation and the Dewatering of Deep Excavations in Taipei Basin. Geotechnical Engineers in Taipei are well aware that the Jingmei Formation is a unique geological feature of the Taipei Basin. It is highly permeable and a water-rich stratum responsible for many failures in underground constructions. The piezometric heads in the Jingmei Formation had to be lowered by pumping for the deep excavations to be carried out safely. The authors thus discuss the hydraulic characteristics of the Jingmei Formation and the experience gained in large scale dewatering schemes. Attempts have been made to establish the relationship between the progression of tides in the river and the fluctuation of the piezometric levels in this Formation. The authors found that, the transmissivity and storage coefficient deduced from the observed groundwater drawdown are affected not only by the pumping rate, but also the duration of pumping; thus the rates required tend to be overestimated as based on the results of pumping tests.

Forensic studies have now become an important field in geotechnical engineering. The seventh paper by Lee et al is on the forensic investigation of a subway tunnel failure during construction. In this paper, the forensic evidences and investigation of a subway tunnel construction failure occurred in Kaohsiung, Taiwan is presented. The studied construction failure occurred during a cross-passage excavation of a shield tunnel construction work of the Kaohsiung Mass Rapid Transit System, and resulted in severe tunnel collapse and extensive ground failure that even reached to ground surface 30m above the tunnel depth. Valuable photo images obtained during and post event, as well as results of special geophysical testing methods were presented and compared to verify aspects of the proposed failure scenario. Information presented in this paper would be helpful to improve engineers' knowledge for preventing similar construction risks.

Typhoon Morakot brought tremendous rainfall of a hundred-year recurrence period in Taiwan. The paper by Chou et al concentrates on the effects as encountered by roads and houses in the middle and southern part of Taiwan; from landslides, debris flows, and floods. Erosion of road foundations, sliding of slopes, and collapse of bridges has paralysed the road system. Using Alishan Route 18 as an example, this paper discusses different causes, types, and renovation methods of slope disasters for future reference.

The paper by Lee et al also deals with the forecast of shallow landslides pertinent to Taiwan in a study which combines rainfall parameters and landslide susceptibility. Catastrophic landslides and debris slides triggered by typhoons such as Typhoon Morakot (2009) have occurred more frequently in the recent years, and caused many casualties and much economic loss in Taiwan. For the purpose of reducing the damage and preventing loss of life resulting from geological hazards, this study collects multiple period landslide inventories which contain the information of occurrence time, location, magnitude, rainfall intensity, and accumulated rainfall to establish the rainfall threshold for shallow landslides on a regional scale. The concept of a hazard matrix which combines the magnitude (landslide ratio of slope units) and the possibility of occurrence (historical disaster records) are investigated to set up the early warning thresholds. Accordingly, the critical rainfall thresholds were built up based on the R_{24} (24 hours

cumulated rainfall) and I_3 (3-hour mean rainfall intensity) of historical records. The model developed can predict the possible sediment hazard on the hillslope 2~9 hours before occurrence of landslides. The web based GIS helped to have early-warning systems to display the real-time rainfall data and the warning signal immediately for disaster prevention through increasing the response time.

Chang et al made dynamic analyses for performance based seismic design of geotechnical structures with examples in deep foundation. Performance-Based Seismic design (PBSD) of geotechnical engineering structures can be evaluated by a number of methods taking into account the uncertainties of the designed influence factors. Despite the fact that the seismic force is known to be a significant factor, the static and/or pseudo static analyses seem to be commonly adopted in design practice. The paper by Chang et al briefly discusses alternate approaches with the emphasis on dynamic analysis. Examples are given with the assessments of two deep foundations located in Taiwan. Dynamic analysis is rather important to the seismic design problems since it can monitor the details of time-dependent structural responses incorporating both peak ground acceleration and duration of the earthquake. Other than the 3D finite element analysis, the simplified solution from 1D wave equation analysis can be very effective and convenient for PBSD analysis on deep foundation.

The eleventh paper in this CTGS Issue is on the time dependent dynamic characteristics during soil liquefaction in saturated sand. Chen et al, conducted model pile tests to quantify the relation between soil stiffness and excess pore water pressure during liquefaction, the test data of a series of shaking table tests on model pile in saturated sand using a large biaxial laminar shear box conducted at the National Center for Research on Earthquake Engineering were analysed. The pile tip was fixed at the bottom of the shear box to simulate the condition of a pile foundation embedded in a firm stratum. The pile head was mounted with steel disks to simulate the superstructure. In addition, strain gauges and mini-accelerometers were placed on the pile surface to obtain the response of the pile under shaking. Therefore, the model pile can be considered as a sensor to evaluate the changes of dynamic characteristics of soil-pile system during the shaking by using the time-frequency analysis and system identification technique. The results showed that the stiffness of the soil would increase with the dissipation of pore water pressure and the recovery of soil stiffness is directly related to the effective stress ratio of soil specimen.

The interesting paper by Shi et al present geological investigation and sliding mitigation in Jiufen Area in Taiwan. Jiufen's orographic and geological characteristics together with frequent typhoons and heavy rain make it potentially vulnerable to landslides. The landslide problems can be disastrous not only to the 2,300 local residents, but also to the constant flow of tourists visiting the town. After the site investigations, it is concluded that both of the colluvium and groundwater are the most important geological factors to the slope stability problems. According to the long-term groundwater level monitoring result, it varied from 8m to 12m during the period of typhoon and heavy rainfall. And the displacement induced by the groundwater level rising was found. Four underground flow lines were

located based on the resistivity image profiling and self-potential investigation. Then five water collection wells were planned to construct according to the locations of underground flow lines. The level lowered down about 15m after the wells completed and the slope became stable. It is suggested that the depth of colluvium in Jiufen area needs to be investigated in more detail.

Finally the last paper thirteenth in this Issue is by Shu et al on the interpretation and analysis of potential fluidised landslide slope. Fluidized landslide, also called hillslope-type debris flow, often occurs on the village side hillslope in the mountain area during extreme weather condition. Fluidized landslide induces more severe damages than the shallow landslide; however its recognition model is still lacked. In this research a recognition model of the potential fluidized landslide slope was developed using 80 cases occurred in the Kaoping River basin, southern Taiwan. 30 fluidized landslides and 30 shallow landslides are employed for the model development and another 10 events of each landslide are applied for verification. Results show that the recognition model composed of 8 discriminant factors including geomorphology factors, hydrology factors and potential landslide factor predicated by SHALSTAB model provides accuracy rate of 85% of the verification events. Thus the model can be of practical use for fluidized landslide interpretation. The model can be used to identify the potential dangerous slope areas and effectively assist the disaster prevention and early warning of villages in mountain area.

The editor of this CTGS Issue is very pleased to be able to present the geotechnical activities in Taiwan through these thirteen contributions and hope that the material would be beneficial to Geotechnical Engineers in SE Asia and elsewhere.

Meei Ling Lin

ACKNOWLEDGEMENT

Thirteen excellent contributions are contained in this Country Issue of the Chinese Taipei Geotechnical Society (CTGS) as edited by Prof. Meei Ling Lin. All contributions are by authors from Taiwan and Prof. Meei Ling Lin must be congratulated for her excellent task. In the Preface Prof Lin have described in great detail the contributions from the authors. It is a pleasure to note that successful country issues are now completed by the Thai Geotechnical Society, The Vietnamese Society and now the Chinese Taipei Society. The contributions from Singapore, Hong Kong and Malaysia will also be released soon. Also, last but not least from Indonesia.

This issue also contains a special feature story on “Recent Diaphragm Wall Technologies and Future Challenges” by Hosoi Takeshi and Matsushita Shinya; a historical note on “Experiences of Geotechnical Development in Japan and Future Directions” by Masami Fukuoka and an “Obituary of Masami Fukuoka” by Fumio Tatsuoka. The passing away of Prof Masami Fukuoka on 27 January 2016 is a great loss to the engineering communities.

K. Y. Yong

N . Phienwej

T. A. Ooi

A. S. Balasubramaniam

GEOTECHNICAL ENGINEERING

JUNE 2016 ISSUE: CTGS ISSUE

Edited by Meei-Ling Lin



Professor Meei-Ling Lin

Dr. Lin is a Professor at Department of Civil Engineering, National Taiwan University. She received her Ph.D. degree in Civil Engineering from University of Texas, Austin, USA, in 1987. Dr. Lin has been a member of the General Committee of the Southeast Asia Geotechnical Society since 2007. She serves as a committee member of the Jointed Technical Committee 1 (JTC1 on Landslide) of the International Society for Soil Mechanics and Geotechnical Engineering, the International Association for Engineering Geology and the Environment, the International Society for Rock Mechanics, and the International Geotextile Society. She also serves as a committee member of Technical Committee 303 (TC-303 on Flood) and Asian Technical Committee-1 (ATC-1 on Climate Change) of ISSMGE.

Prof. Lin's research interests and experiences include: potential analysis and simulation and behaviors of debris flow and slope stability, seismic slope behavior and stability, dynamic soil behaviors associated with soil liquefaction and ground responses analysis, mapping and micro-zonation of related debris flow, seismic slope stability potential, and seismic ground response. She lead a group to initiate a drafted Code for the Engineered Slope for the Ministry of Transportation and Communication, Executive Yuan, Taiwan. She has been invited as a Keynote speaker of international conferences, a special lecture speaker of International Landslide Symposiums and a panel reporter by ISSMG Conferences, and recently delivered an Opening Keynote for the Fourth Italian Workshop on Landslides.

SPECIAL FEATURE STORY ON
“Recent Diaphragm Wall Technologies and Future Challenges”
By Hosoi Takeshi and Matsushita Shinya.



Dr. Hosoi Takeshi

Dr. Hosoi Takeshi is a Technical Advisor at WSP Parsons Brinckerhoff, Singapore. He received his PhD with research focused on “Bearing Capacity of Diaphragm Wall Foundation and various Issues during its Construction” from Kyoto University, Kyoto, Japan in the year 1993.

Dr. Hosoi has more than 50 years of experience in design and construction of underground structures, tunnelling, bridge foundations and marine works. He is an international expert in diaphragm wall, barrette and bored pile foundation, shield tunnelling, NATM tunnelling, and other complex geotechnical works.

He is a Professional Engineer (PE) in Japan Since 1983, Fellowship of Japanese Society of Civil Engineer and International Member of Japanese Geotechnical Society. He coordinated the Asian Ocean Seminar sponsored by Japanese Ministry of Port and Harbour for 10 years. He was also a national member in “E-Defence Project” in Japan.

He served as a General Manager of Technical Research & Earthquake Technology Research Institute for 8 years and General Manager of Design Department of Nishimatsu Construction Co. Ltd. for 7 years.



Mr. Matsushita Shinya

Mr. Matsushita Shinya has been a Chief Engineer of Matsushita M&C Lab Co. Ltd. Since 2013. He was graduated from Nagoya University (Department of Science) in 1972 and joined Matsushita M&C Lab Co. Ltd. in 1972. He served as CEO of Matsushita M&C Lab. Co. Ltd. from 2003-2013. He is a Member of Japanese Geotechnical Society. He has been involved in a lot of big diaphragm wall projects in Japan for more than 40 years. In 1982 he was engaged in the experimental diaphragm wall construction for practical use of high DS polymer slurry and in 1984 he was joined the diaphragm wall construction project for Nagoya Subway 6 Line to lead successful adoption of polymer slurry. He was involved in Diaphragm Wall Foundation of Aomori Bay Bridge in 1988 and also in 1991 Diaphragm Wall Shaft at Kawasaki Artificial Island for Trans Tokyo Bay Highway Road. From 1992 to 1994 he was invited by the Grand Hi-Lai Hotel project and the Tuntex project (the Tuntex & Chien Tai Tower) at Kaohsiung, Taiwan as a consultant of Polymer slurry. From 2001 to 2006 he took part in the Water

Cut-off Wall Project at Kansai International Airport for stabilizing land settlement as a chief engineer for quality control of slurry. In 2008 he engaged in the Wall Foundation , “Knuckle Wall ” Project of Tokyo Sky Tree as a chief engineer for quality control of polymer slurry.

HISTORICAL NOTE ON

“Experiences of Geotechnical Development in Japan and Future Directions”

By Masami Fukuoka



Professor Masami Fukuoka

Prof. Fukuoka was born on 12 March 1917 in Okayama Prefecture, Japan. He studied Civil Engineering at the University of Tokyo, and in 1940 he entered the profession fully, taking up a post as a civil engineer for Japan's Public Works Research Institute (PWRI) of the Ministry of Internal Affairs. During the Second World War, he served in the Japanese military.

He returned to PWRI after the war ended, and his engineering acumen was immediately needed. Japan experienced a series of severe earthquakes and floods, which further complicated the damage the country had suffered to its infrastructure during the war. It was one of the most difficult times in the history of Japan, he said to me when I was young. As a civil engineer, in particular, as a geotechnical engineer, he worked to restore Japan's infrastructures from the effects of war and natural disasters. His strength of leadership was an especially important contribution to the design and construction of a great number of important infrastructures; and his work improved projects across a broad range of sectors, including those dealing landslides, road building and pavements, slope stability, flood control, river and coastal dyke engineering, ground investigation and soil test, earth pressure and retaining walls, rock-fill and earth-fill dams, ground subsidence, foundations of long-span bridges, earthquake geotechnical engineering and, eventually, geosynthetic engineering. The breadth of his work was extraordinary, considering how difficult it is to become a specialist in even one of these areas today. After rising to serve as PWRI's director, he retired in 1970 and entered academia and became a full professor of Civil Engineering of the University of Tokyo, where I was studying as doctoral candidate. In 1977, Prof. Fukuoka transitioned to a

professorship at Tokyo University of Science where he remained until his retirement in 1986. As his career progressed; he contributed greatly to multiple professional organizations. He helped establish the Japanese Geotechnical Society (JGS) in 1949 and served as President from 1976 – 1997. He was integral to Tokyo playing host to the 9th International Conference on Soil Mechanics and Foundation Engineering, then served as President of the International Society for Soil Mechanics and Foundation Engineering (now ISSMGE) from 1977-1981. During this period, while at Tokyo University of Science, he started the research on geosynthetic-reinforced soil retaining walls and geomembrane lining at the bottom of reservoirs.

GEOTECHNICAL ENGINEERING

June 2016: CHINESE TAIPEI SPECIAL ISSUE

Editor: Professor Meei-Ling Lin

TABLE OF CONTENTS

<u>List of Papers</u>	<u>Page</u>
1: Rock Tunneling Applied to Steady Water Resources Supply in Taiwan: Challenges and Examples By Chia-Han Lee, Tai-Tien Wang, Shih-Hsien Chang, Shang-Yao Lien and Shih-Wei Huang <i>***Please click here to download paper</i>	01-06
2: State-of-the Art of the Tunnel Maintenance in Taiwan and Challenges to Sustainable Development By Ya-Chu Chiu, Tai-Tien Wang, Tsan-Hwei Huang <i>***Please click here to download paper</i>	07-13
3: Tunneling Issues Regarding the Rock Tunnel-Shaft Intersection in Taiwan By Tai-Tien. Wang, Tzu-Tung. Lee, Shun-Min. Lee, Kwei-Shr. Li and Cheng-Hsun. Chen <i>***Please click here to download paper</i>	14-23
4: Assessment of Hard Rock Tunnel Stability: A Note on the Influence of Post-peak Strength Degradation By F. Y. Hsiao, H. C. Kao and S. Y. Chi <i>***Please click here to download paper</i>	24-31
5: Deep Excavations in Taipei Basin and Performance of Diaphragm Walls By R. N. Hwang, C. H. Wang, C. R. Chou and L. W. Wong <i>***Please click here to download paper</i>	32-40
6: Hydraulic Characteristics of Jingmei Formation and Dewatering for Deep Excavations in Taipei Basin By G. R. Yang, L. W. Wong and R. N. Hwang <i>***Please click here to download paper</i>	41-49
7: Forensic Investigation of A Subway Tunnel Construction Failure By W. F. Lee, C. C. Wang, K. Ishihara, R. N. Hwang <i>***Please click here to download paper</i>	50-59
8: Case Study of Renovation on Alishan Route 18 after Typhoon Morakot By Kung-Tai Chou, Wen-Long Wu, Chiao-An Hsiao, Kun-Hsien Chou <i>***Please click here to download paper</i>	60-71
9: Combining rainfall parameter and landslide susceptibility to forecast shallow landslide in Taiwan By C.F. Lee, C.M. Huang, T.C. Tsao, L.W. Wei, W.K. Huang, C.T. Cheng, and C.C. Chi <i>***Please click here to download paper</i>	72-82

10: Dynamic Analyses for Performance-Based Seismic Design of Geotechnical Structures with Examples in Deep Foundations By D.W. Chang, C.W. Lu, S.S. Lin and J.R. Lai ***Please click here to download paper	83-88
11: Time-Dependent Dynamic Characteristics of Model Pile in Saturated Sand during Soil Liquefaction By Chia-Han Chen, Yung-Yen Ko, Cheng-Hsing Chen and Tzou-Shin Ueng ***Please click here to download paper	89-94
12: Geological Investigation and Sliding Mitigation in Jiufen Area By Lee-Ping Shi, Jen-Cheng Liao, Sheng-Hsiung Hung and Chien-Shui Huang ***Please click here to download paper	95-100
13: Interpretation and Analysis of Potential Fluidized Landslide Slope By H. M. Shu, T. C. Chen, W.C. Yang and Y.X. Luo ***Please click here to download paper	101-111
SPECIAL FEATURE STORY ON “Recent Diaphragm Wall Technologies and Future Challenge” By Hosoi Takeshi and Matsushita Shinya	112-125
HISTORICAL NOTE ON “Experiences of Geotechnical Development in Japan and Future Directions” By Masami Fukuoka	126-129
OBITUARY of Masami Fukuoka By Fumio Tatsuoka	130-131

Cover Photographs:

1. Photo 1 Satellite Image of the Taipei Basin (After Yang, Wong and Hwang, June 2016)
2. Photo 1 Sedimentation of Typhoon Morakot on Wanda Reservoir in central Taiwan. (After Lee, Wang, Chang Lien and Huang, June 2016)
3. Photo 1 Geological profile along tunnels in TDT project (After Lee, Wang, Chang, Lien and Huang, 2016)

GEOTECHNICAL ENGINEERING

Paper Contribution, Technical notes and Discussions

SEAGS & AGSSEA encourage the submission of scholarly and practice-oriented articles to its journal. The journal is published quarterly. Both sponsors of the journal, the Southeast Asian Geotechnical Society and the Association of Geotechnical Societies in Southeast Asia, promote the ideals and goals of the International Society of Soil Mechanics and Geotechnical Engineering in fostering communications, developing insights and enabling the advancement of the geotechnical engineering discipline. Thus the publishing ethics followed is similar to other leading geotechnical journals. Standard ethical behaviour of the authors, the editor and his editorial panel, the reviewers and the publishers is followed.

Before you submit an article, please review the guidelines stated herein for the manuscript preparation and submission procedures. Paper template is available upon request.

Geotechnical Engineering Journal accepts submissions via electronic. The manuscript file (text, tables and figures) in both words and pdf format together with the submission letter should be submitted to the Secretariat and copied to the Editor-in-Chief, Geotechnical Engineering Journal, c/o School of Engineering and Technology, Asian Institute of Technology, Room no. 211, AIT Library, Asian Institute of Technology, P.O. Box 4, Klong Luang, Pathumthani 12120, Thailand. Email: seags@ait.ac.th. Papers under review, accepted for publication or published elsewhere are not accepted. The guidelines for author are as follows:-

1. The manuscript including abstract of not more than 150 words and references must be typed in Times New Roman 9 on one side of A4 paper with a margin of 25 mm on each side. The abstract should be written clearly stating the purpose, scope of work and procedure adopted together with the major findings including a summary of the conclusions.
2. The paper title must not exceed 70 characters including spaces.
3. The maximum length of papers in the print format of the Journal is 12 two-column pages in single-spaced in Times New Roman 9 including figures and tables. A Journal page contains approximately 1,040 words. Authors can approximate manuscript length by counting the number of words on a typical manuscript page and multiplying that by the number of total pages (except for tables and figures). Add word-equivalents for figures and tables by estimating the portion of the journal page each will occupy when reduced to fit on a 160 mm x 240 mm journal page. A figure reduced to one-quarter of a page would be 260 word-equivalents. When reduced, the figure must be legible and its type size no smaller than 6 point font (after reduction).
4. Figures: Line art should be submitted in black ink or laser printed; halftones and color should be original glossy art. Figures should be submitted at final width i.e. 90 mm for one column and 185 mm for two columns. The font of the legends should be in Times New Roman and should use capital letters for the first letter of the first word only and use lower case for the rest of the words. Background screening and grids are not acceptable.
5. Each table must be typed on one side of a single sheet of paper.
6. All mathematics must be typewritten and special symbols identified. Letter symbols should be defined when they first appear.
7. The paper must have an introduction and end with a set of conclusions.
8. Practical applications should be included, if appropriate.

9. If experimental data and/or relations fitted to measurements are presented, the uncertainty of the results must be stated. The uncertainty must include both systematic (bias) errors and imprecisions.
10. Authors need not be Society members. Each author's full name, Society membership grade (if applicable), present title and affiliation and complete mailing address must appear as a footnote at the bottom of the first page of the paper.
11. Journal papers submitted are subject to peer review before acceptance for publication.
12. Each author must use SI (International System) units and units acceptable in SI. Other units may be given in parentheses or in an appendix.
13. Maximum of five keywords should be given.
14. REFERENCES
American Petroleum Institute (API) (1993). Recommended Practice for Planning, Designing and Constructing Fixed Offshore Platforms – Working Stress Design, API Recommended Practice 2AWSD (RP 2A-WSD), 20th edition, 1993, p191
Earth, J.B., and Geo, W.P. (2011). "Asian Geotechnical amongst Authors of Conference Publications", Proceedings of Int. Conference on Asian Geotechnical, publisher, city, pp 133-137.
Finn WDL and Fujita N. (2002). "Piles in liquefiable soils: seismic analysis and design issues," Soil Dynamics and Earthquake Engineering, 22, Issues 9-12, pp731-742
15. Discussions on a published paper shall be made in the same format and submitted within six months of its appearance and closing discussion will be published within twelve months.

For additional information, please write to:

The Secretariat, SEAGS

Room 211, AIT Library

Asian Institute of Technology

P.O. Box 4, Klong Luang

Pathumthani 12120, THAILAND

Email: seags@ait.ac.th

Website: <http://www.seags.ait.ac.th>

Ir. Kenny Yee

Hon. Secretary General

Association of Geotechnical Societies in Southeast Asia

E-mail: kenny.yeeks@gmail.com

Website: <http://www.agssea.org>

IEM Training Centre Sdn. Bhd.

No. 33-1A, Jalan SS 52/18

P.O. Box 224 (Jalan Sultan)

46200 Petaling Jaya, Selangor Darul Ehsan, MALAYSIA

Tel: (60) 03 7958 6851

Fax: (60) 03 79582851

E-mail: iemtrainingcentre@gmail.com

Website: <http://www.iemtc.com>